

TYP WIESZAKA	0570-2	0579-1	0572-1
SEKCJA			
2_B-P_L10	243	72	2
2_B-P_L12	262	72	2
2_B-P_L14	252	68	2
2_B-P_L2	212	60	2
2_B-P_L4	214	60	2
2_B-P_L12 (2)	218	48	2
2_B-P_L14 (2)	249	68	2
2_B-P_L16	264	72	2
2_B-P_L18	250	68	2
2_B-P_L2 (2)	249	68	2
2_B-P_L4 (2)	217	64	2
2_B-P_L24	209	56	2
2_B-P_L26	192	52	2
2_B-P_L2 (3)	238	72	2
RAZEM:	3269	900	28

[illegible]

t.2 Pałędzie - Buk

Sieć skompensowana - kod "26" YwsC120-2C,

karta katalogowa 13-0015-26, wieszaki 0570-2, 0579-1, 0572-1

0015-26

Rozp. [m]	Długość wieszaka																	Ilość	
	zaw."Y"		3	4	5	6	7	8	9	10	11	12	13	14	15	16	zaw."Y"		
	1	2															17		18
69	83	95	110	93	81	70	61	55	52	52	55	61	70	81	93	110	95	83	1
67	85	97	112	96	84	75	67	62	59	59	62	67	75	84	96	112	97	85	3
66	85	98	113	97	84	74	67	63	61	63	67	74	84	97	113	98	85		7
62	89	101	117	102	91	82	76	74	74	76	82	91	102	117	101	89			1
60	90	103	118	105	95	88	82	79	79	82	88	95	105	118	103	90			1
56	94	106	122	110	102	95	91	90	91	95	102	110	122	106	94				4

***0015-26**

Rozp. [m]	Długość wieszaka																	Ilość	
	zaw."Y"		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		18
	1	2																	
*60	90	103	118	105	95	88	82	79	79	82	88	95	105	118	139	158			2

Wieszak 0570-2

Rozp. [m]	Ilość	Rozp. [m]	Ilość
52	2	139	2
55	2	158	2
59	6		
61	9		
62	6		
63	14		
67	20		
70	2		
74	16		
75	6		
76	2		
79	6		
81	2		
82	8		
84	20		
88	6		
90	4		
91	10		
93	2		
95	14		
96	6		
97	14		
102	10		
105	6		
110	10		
112	6		
113	14		
117	2		
118	6		
122	8		
Razem			243

Wieszak 0579-1

[illegible]**Wieszak 0572-1**

Rozp. [m]	Ilość
22	1
23	1
Razem	2

Obiekt nr		Nr sekcji		Nr strony		KARTA MONTAŻOWA WIESZAKÓW																												
		L12		1/1																														
0015-26						X		*61	61	63	70	70	70	70	70	70	70	70	70	70	70	70	59	*65								X		
0572-1						X	1																		1							X		
Rozpiętość przęsła [mb]						X	22	61	61	63	70	70	70	70	70	70	70	70	70	70	72	70	70	73	59	65	21						X	
Lp	WYPOSAŻENIE		LOKATA	ILOŚĆ		26	28	32	34	36	2	4	6	8	10	12	14	16	18	20	22	24	26	28	2	6	8							
						319	320																		321									
						758	780	841	902	965	35	105	175	245	315	385	455	525	595	665	737	807	877	950	9	74	95							
1		0570	2	262		X			14	12	13	14	14	14	14	14	14	14	14	14	14	14	14	12	15							X		
2		0579	1	72		X			2	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	2							X		
3		0572	1	2		X	1																			1						X		
						X																										X		
						Typ sieci		26			Projektant:												Nr planu: LK3 Pałędzie - Buk											
						Długość sekcji [m]		1337			Współpraca: TA&TR																							
						Ilość podwieszeń [szt]		20	Uwagi:														Nr karty: L12											
						Tor numer		2																										
						Ilość sekcji w obiekcie																												
Ilość poz.	3	Suma ilości		336	W	Nazwa obiektu:																												

t.2 Pałędzie - Buk

Sieć skompensowana - kod "26" YwsC120-2C,

karta katalogowa 13-0015-26, wieszaki 0570-2, 0579-1, 0572-1

0015-26

Rozp. [m]	Długość wieszaka																	Ilość	
	zaw."Y"		3	4	5	6	7	8	9	10	11	12	13	14	15	16	zaw."Y"		
	1	2															17		18
70	82	94	109	92	78	66	58	52	49	49	52	58	66	78	92	109	94	82	14
63	88	100	116	101	90	82	76	72	70	72	76	82	90	101	116	100	88		1
61	90	102	117	103	94	85	79	76	76	79	85	94	103	117	102	90			1
59	91	103	119	106	97	90	85	82	82	85	90	97	106	119	103	91			1

***0015-26**

Rozp. [m]	Długość wieszaka																		Ilość
	zaw."Y"		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
	1	2																	
*65	86	98	114	98	87	77	70	66	64	66	70	77	87	98	114	136	157		1
*61	90	102	117	103	94	85	79	76	76	79	85	94	103	117	139	158			1

Wieszak 0570-2

Rozp. [m]	Ilość	Rozp. [m]	Ilość
49	28	158	1
52	28		
58	28		
64	1		
66	30		
70	3		
72	2		
76	6		
77	2		
78	28		
79	4		
82	4		
85	6		
87	2		
90	4		
92	28		
94	4		
97	2		
98	2		
101	2		
103	4		
106	2		
109	28		
114	2		
116	2		
117	4		
119	2		
136	1		
139	1		
157	1		
Razem			262

Wieszak 0579-1

[illegible]

Wieszak 0572-1

Rozp. [m]	Ilość
21	1
22	1
Razem	2

Obiekt nr		Nr sekcji		Nr strony		KARTA MONTAŻOWA WIESZAKÓW																																				
		L14		1/1																																						
0015-26						X	*59	70	70	70	70	70	70	70	70	70	70	70	70	70	*59											X										
0572-1						X	1																							1											X	
Rozpiętość przęsła [mb]						X	27	59	70	70	70	70	70	70	70	70	70	70	70	70	70	70	59	27											X							
Lp	WYPOSAŻENIE		LOKATA																																							
	NUMER	WYK																																								
				ILOŚĆ	2	4	8	10	12	14	16	18	20	22	24	26	28	30	32	2	4	6	8	12	14																	
					321																322																					
					9	36	95	165	235	305	375	445	515	585	655	725	795	865	935	5	75	145	215	274	301																	
1		0570	2	252	X																													X								
2		0579	1	68	X																													X								
3		0572	1	2	X																													X								
					X																													X								
					Typ sieci		26											Projektant:										Nr planu: LK3 Pałędzie - Buk														
					Długość sekcji [m]		1337											Współpraca: TA&TR																								
					Ilość podwieszń [szt]		20	Uwagi:																				Nr karty:														
					Tor numer		2																																			
					Ilość sekcji w obiekcie																																					
Ilość roz.	3	Suma ilości	322	W	Nazwa obiektu:																																					
					L14																																					

Sieć skompensowana - kod "26" YwsC120-2C,
karta katalogowa 13-0015-26, wieszaki 0570-2, 0579-1, 0572-1

--	--

Rozp. [m]	Długość wieszaka																	Ilość	
	zaw."Y"		3	4	5	6	7	8	9	10	11	12	13	14	15	16	zaw."Y"		
	1	2															17		18
70	82	94	109	92	78	66	58	52	49	49	52	58	66	78	92	109	94	82	16

--	--

Rozp. [m]	Długość wieszaka																		Ilość
	zaw."Y"		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
	1	2																	
*59	91	103	119	106	97	90	85	82	82	85	90	97	106	119	140	158			2

Rozp. [m]	Ilość
-----------	-------

[illegible]

Rozp. [m]	Ilość
-----------	-------

Rozp. [m]	Ilość
82	32
91	2
94	32
103	2
Razem	68

Rozp. [m]	Ilość
-----------	-------

Rozp. [m]	Ilość
21	1
22	1
Razem	2

Obiekt nr		Nr sekcji		Nr strony		KARTA MONTAŻOWA WIESZAKÓW																																	
		L2		1/1																																			
0015-26						X	*65	49	70	70	70	70	70	70	70	70	64	63	61	54	*61													X					
0572-1						X	1																			1													X
Rozpiętość przęsła [mb]						X	21	65	49	70	70	70	70	70	70	70	70	64	63	61	54	61	23													X			
Lp	WYPOSAŻENIE		LOKATA			8	10	14	16	18	20	22	24	26	28	30	32	34	2	4	6	8	12	14															
				322																323																			
	NUMER	WYK		ILOŚĆ	215	236	301	350	420	490	560	630	700	770	840	910	980	44	107	168	222	283	306																
1		0570	2	212	X																				X														
2		0579	1	60	X	15	9	14	14	14	14	14	14	14	14	14	13	13	12	10	14													X					
3		0572	1	2	X	2	4	4	4	4	4	4	4	4	4	4	4	4	4	2													X						
					X	1																			1													X	
					Typ sieci		26					Projektant:				Nr planu:				LK3 Pałędzie - Buk																			
					Długość sekcji [m]		1091					Współpraca: TA&TR																											
					Ilość podwieszń [szt]		17	Uwagi:				Nr karty:				L2																							
					Tor numer		2																																
					Ilość sekcji w obiekcie																																		
Ilość roz.	3	Suma ilości	274	W	Nazwa obiektu:																																		

Długości wieszaków dla sekcji L2

t.2 Palędzie - Buk

Sieć skompensowana - kod "26" YwsC120-2C,

karta katalogowa 13-0015-26, wieszaki 0570-2, 0579-1, 0572-1

0015-26

Rozp. [m]	Długość wieszaka																	Ilość	
	zaw."Y"		3	4	5	6	7	8	9	10	11	12	13	14	15	16	zaw."Y"		
	1	2															17		18
70	82	94	109	92	78	66	58	52	49	49	52	58	66	78	92	109	94	82	9
64	87	99	115	100	89	80	73	69	67	69	73	80	89	100	115	99	87		1
63	88	100	116	101	90	82	76	72	70	72	76	82	90	101	116	100	88		1
61	90	102	117	103	94	85	79	76	76	79	85	94	103	117	102	90			1
54	95	107	124	112	104	98	95	95	98	104	112	124	107	95					1
49	99	112	128	120	113	108	107	108	113	120	128	112	99						1

*0015-26

Rozp. [m]	Długość wieszaka																	Ilość	
	zaw."Y"		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		18
	1	2																	
*65	86	98	114	98	87	77	70	66	64	66	70	77	87	98	114	136	157		1
*61	90	102	117	103	94	85	79	76	76	79	85	94	103	117	139	158			1

Wieszak 0570-2

Rozp. [m]	Ilość	Rozp. [m]	Ilość
49	18	109	18
52	18	112	2
58	18	113	2
64	1	114	2
66	20	115	2
67	1	116	2
69	2	117	4
70	3	120	2
72	2	124	2
73	2	128	2
76	6	136	1
77	2	139	1
78	18	157	1
79	4	158	1
80	2		
82	2		
85	4		
87	2		
89	2		
90	2		
92	18		
94	4		
95	2		
98	4		
100	2		
101	2		
103	4		
104	2		
107	1		
108	2		
Razem		212	

Wieszak 0579-1

Rozp. [m]	Ilość
82	18
86	1
87	2
88	2
90	3
94	18
95	2
98	1
99	4
100	2
102	3
107	2
112	2
Razem	60

Wieszak 0572-1

Rozp. [m]	Ilość
21	1
23	1
Razem	2

Obiekt nr		Nr sekcji		Nr strony		KARTA MONTAŻOWA WIESZAKÓW																															
		L4		1/1																																	
0015-26						X		*61	58	54	57	69	69	65	70	70	70	70	70	70	69	*66											X				
0572-1						X	1																1										X				
Rozpiętość przęsła [mb]						X	23	61	58	54	57	69	69	65	70	70	70	70	70	70	69	66	30											X			
Lp	WYPOSAŻENIE		LOKATA																																		
	NUMER	WYK				ILOŚĆ	8	10	14	16	17	18	20	22	24	26	28	30	32	2	4	6	8	12	14												
							323																	324													
							222	245	306	364	418	475	544	613	678	748	818	888	958	28	98	168	237	303	333												
1		0570	2	214	X			14	11	10	11	14	14	13	14	14	14	14	14	14	14	14	15										X				
2		0579	1	60	X			2	4	4	4	4	4	4	4	4	4	4	4	4	4	4	2											X			
3		0572	1	2	X			1																										X			
					X																													X			
						Typ sieci		26												Projektant:										Nr planu: LK3 Pałędzie - Buk							
						Długość sekcji [m]		1111												Współpraca: TA&TR																	
						Ilość podwieszeń [szt]		17		Uwagi:																				Nr karty: L4							
						Tor numer		2																													
						Ilość sekcji w obiekcie																															
Ilość poz.	3	Suma ilości		276	W	Nazwa obiektu:																															

Długości wieszaków dla sekcji L4

t.2 Palędzie - Buk

Sieć skompensowana - kod "26" YwsC120-2C,

karta katalogowa 13-0015-26, wieszaki 0570-2, 0579-1, 0572-1

0015-26

Rozp. [m]	Długość wieszaka																	Ilość	
	zaw."Y"		3	4	5	6	7	8	9	10	11	12	13	14	15	16	zaw."Y"		
	1	2															17		18
70	82	94	109	92	78	66	58	52	49	49	52	58	66	78	92	109	94	82	7
69	83	95	110	93	81	70	61	55	52	52	55	61	70	81	93	110	95	83	3
65	86	98	114	98	87	77	70	66	64	66	70	77	87	98	114	98	86		1
58	92	104	120	107	97	90	86	84	86	90	97	107	120	104	92				1
57	93	105	121	109	100	93	88	87	88	93	100	109	121	105	93				1
54	95	107	124	112	104	98	95	95	98	104	112	124	107	95					1

*0015-26

Rozp. [m]	Długość wieszaka																	Ilość	
	zaw."Y"		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		18
	1	2																	
*66	85	98	113	97	84	74	67	63	61	63	67	74	84	97	113	136	157		1
*61	90	102	117	103	94	85	79	76	76	79	85	94	103	117	139	158			1

Wieszak 0570-2

Rozp. [m]	Ilość	Rozp. [m]	Ilość
49	14	104	2
52	20	107	2
55	6	109	16
58	14	110	6
61	7	112	2
63	2	113	2
64	1	114	2
66	16	117	2
67	2	120	2
70	8	121	2
74	2	124	2
76	2	136	1
77	2	139	1
78	14	157	1
79	2	158	1
81	6		
84	3		
85	2		
86	2		
87	3		
88	2		
90	2		
92	14		
93	8		
94	2		
95	2		
97	4		
98	4		
100	2		
103	2		
Razem		214	

Wieszak 0579-1

Rozp. [m]	Ilość
82	14
83	6
85	1
86	2
90	1
92	2
93	2
94	14
95	8
98	3
102	1
104	2
105	2
107	2
Razem	60

Wieszak 0572-1

Rozp. [m]	Ilość
23	1
30	1
Razem	2

[illegible]

Długości wieszaków dla sekcji L12 (2)**t.2 Pałędzie - Buk**

Sieć skompensowana - kod "26" YwsC120-2C,

karta katalogowa 13-0015-26, wieszaki 0570-2, 0579-1, 0572-1

0015-26

Rozp. [m]	Długość wieszaka																	Ilość	
	zaw."Y"		3	4	5	6	7	8	9	10	11	12	13	14	15	16	zaw."Y"		
	1	2															17		18
70	82	94	109	92	78	66	58	52	49	49	52	58	66	78	92	109	94	82	3
69	83	95	110	93	81	70	61	55	52	52	55	61	70	81	93	110	95	83	3
68	84	96	111	95	83	73	64	58	56	56	58	64	73	83	95	111	96	84	1
65	86	98	114	98	87	77	70	66	64	66	70	77	87	98	114	98	86		1
64	87	99	115	100	89	80	73	69	67	69	73	80	89	100	115	99	87		1
62	89	101	117	102	91	82	76	74	74	76	82	91	102	117	101	89			1
41	166	154	144	138	134	132	134	138	144	154	166								1

***0015-26**

Rozp. [m]	Długość wieszaka																	Ilość	
	zaw."Y"		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		18
	1	2																	
*67	85	97	112	96	84	75	67	62	59	59	62	67	75	84	96	112	135	157	1
*65	86	98	114	98	87	77	70	66	64	66	70	77	87	98	114	136	157		2
*52	97	109	126	115	108	103	100	100	103	108	115	126	144	160					1
*50	160	145	127	117	110	106	105	106	110	117	127	145	160						1

Wieszak 0570-2

Rozp. [m]	Ilość	Rozp. [m]	Ilość
49	6	96	2
52	12	98	6
55	6	100	4
56	2	102	2
58	8	103	2
59	2	105	1
61	6	106	2
62	2	108	2
64	5	109	6
66	12	110	8
67	3	111	2
69	2	112	2
70	12	114	6
73	4	115	4
74	2	117	4
75	2	126	2
76	2	127	2
77	6	132	1
78	6	134	2
80	2	135	1
81	6	138	2
82	2	136	2
83	2	144	3
84	2	145	2
87	6	154	2
89	2	157	3
91	2	160	3
92	6	166	2
93	6		
95	2		
Razem		218	

Wieszak 0579-1

Rozp. [m]	Ilość
82	6
83	6
84	2
85	1
86	4
87	2
89	2
94	6
95	6
96	2
97	2
98	4
99	2
101	2
109	1
Razem	48

Wieszak 0572-1

Rozp. [m]	Ilość
23	1
29	1
Razem	2

Obiekt nr		Nr sekcji		Nr strony		KARTA MONTAŻOWA WIESZAKÓW																											
		L14 (2)		1/1																													
0015-26						X		*61	61	67	70	70	70	70	70	70	70	66	70	70	70	70	*59								X		
0572-1						X	1																	1							X		
Rozpiętość przęsła [mb]						X	27	61	61	67	70	70	70	70	70	70	70	66	70	70	70	70	59	26								X	
Lp	WYPOSAŻENIE			LOKATA	IŁOŚĆ	8	10	14	16	18	20	22	24	26	28	30	32	34	2	4	6	8	10	12	16	18							
						325																	326										
						218	245	306	367	434	504	574	644	714	784	854	924	994	64	130	200	270	340	410	469	495							
1		0570	2	249		X			14	12	14	14	14	14	14	14	14	14	14	13	14	14	14	14	14						X		
2		0579	1	68		X			2	4	4	4	4	4	4	4	4	4	4	4	4	4	4	2							X		
3		0572	1	2		X	1																			1					X		
						X																									X		
							Typ sieci			26					Projektant:										Nr planu: LK3 Pałędzie - Buk								
							Długość sekcji [m]			1277					Współpraca: TA&TR																		
							Ilość podwieszeń [szt]			19	Uwagi:														Nr karty: L14 (2)								
							Tor numer			2																							
							Ilość sekcji w obiekcie																										
Ilość poz.	3	Suma ilości		319	W	Nazwa obiektu:																											

L14 (2)

t.2 Pałędzie - Buk

karta katalogowa 13-0015-26, wieszaki 0570-2, 0579-1, 0572-1

Rozp. [m]	Długość wieszaka																	Ilość	
	zaw."Y"		3	4	5	6	7	8	9	10	11	12	13	14	15	16	zaw."Y"		
	1	2															17		18
70	82	94	109	92	78	66	58	52	49	49	52	58	66	78	92	109	94	82	13
67	85	97	112	96	84	75	67	62	59	59	62	67	75	84	96	112	97	85	1
66	85	98	113	97	84	74	67	63	61	63	67	74	84	97	113	98	85		1
61	90	102	117	103	94	85	79	76	76	79	85	94	103	117	102	90			1

Rozp. [m]	Długość wieszaka																	Ilość	
	zaw."y"		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		18
	1	2																	
*61	90	102	117	103	94	85	79	76	76	79	85	94	103	117	139	158			1
*59	91	103	119	106	97	90	85	82	82	85	90	97	106	119	140	158			1

Rozp. [m]	Ilość	Rozp. [m]	Ilość
49	26	140	1
52	26	158	2
58	26		
59	2		
61	1		
62	2		
63	2		
66	26		
67	4		
74	2		
75	2		
76	4		
78	26		
79	4		
82	2		
84	4		
85	6		
90	2		
92	26		
94	4		
96	2		
97	4		
103	4		
106	2		
109	26		
112	2		
113	2		
117	4		
119	2		
139	1		
Razem			249

Rozzp. [m]	Ilość
82	26
85	4
90	3
91	1
94	26
97	2
98	2
102	3
103	1
Razem	68

Rozp. [m]	Ilość
26	1
27	1
Razem	2

[illegible]

t.2 Pałędzie - Buk

t.2 Pałędzie - Buk

0015-26

Rozp. [m]	Długość wieszaka																	Ilość	
	zaw."Y"		3	4	5	6	7	8	9	10	11	12	13	14	15	16	zaw."Y"		
	1	2															17		18
70	82	94	109	92	78	66	58	52	49	49	52	58	66	78	92	109	94	82	14
67	85	97	112	96	84	75	67	62	59	59	62	67	75	84	96	112	97	85	1
59	91	103	119	106	97	90	85	82	82	85	90	97	106	119	103	91			2

***0015-26**

Rozp. [m]	Długość wieszaka																	Ilość	
	zaw."Y"		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		18
	1	2																	
*64	87	99	115	100	89	80	73	69	67	69	73	80	89	100	115	137	157		2

Wieszak 0570-2

Rozp. [m]	Ilość	Rozp. [m]	Ilość
49	28		
52	28		
58	28		
59	2		
62	2		
66	28		
67	4		
69	4		
73	4		
75	2		
78	28		
80	4		
82	4		
84	2		
85	4		
89	4		
90	4		
92	28		
96	2		
97	4		
100	4		
106	4		
109	28		
112	2		
115	4		
119	4		
137	2		
157	2		
Razem			264

Wieszak 0579-1

[illegible]

Wieszak 0572-1

Rozp. [m]	Ilość
21	2
Razem	2

[illegible]

Długości wieszaków dla sekcji L18

t.2 Pałędzie - Buk

Sieć skompensowana - kod "26" YwsC120-2C,

karta katalogowa 13-0015-26, wieszaki 0570-2, 0579-1, 0572-1

0015-26

Rozp. [m]	Długość wieszaka																	Ilość	
	zaw."Y"		3	4	5	6	7	8	9	10	11	12	13	14	15	16	zaw."Y"		
	1	2															17		18
70	82	94	109	92	78	66	58	52	49	49	52	58	66	78	92	109	94	82	14
67	85	97	112	96	84	75	67	62	59	59	62	67	75	84	96	112	97	85	1
58	92	104	120	107	97	90	86	84	86	90	97	107	120	104	92				1

***0015-26**

Rozp. [m]	Długość wieszaka																		Ilość
	zaw."Y"		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
	1	2																	
*65	86	98	114	98	87	77	70	66	64	66	70	77	87	98	114	136	157		1
*59	91	103	119	106	97	90	85	82	82	85	90	97	106	119	140	158			1

Wieszak 0570-2

Rozp. [m]	Ilość	Rozp. [m]	Ilość
49	28	140	1
52	28	157	1
58	28	158	1
59	2		
62	2		
64	1		
66	30		
67	2		
70	2		
75	2		
77	2		
78	28		
82	2		
84	3		
85	2		
86	2		
87	2		
90	4		
92	28		
96	2		
97	4		
98	2		
106	2		
107	2		
109	28		
112	2		
114	2		
119	2		
120	2		
136	1		
Razem			250

Wieszak 0579-1

[illegible]

Wieszak 0572-1

Rozp. [m]	Ilość
21	1
26	1
Razem	2

[illegible]

t.2 Pałędzie - Buk

t.2 Pałędzie - Buk

t.2 Pałędzie - Buk

t.2 Pałędzie - Buk

t.2 Pałędzie - Buk

t.2 Pałędzie - Buk

t.2 Pałędzie - Buk

t.2 Pałędzie - Buk

t.2 Pałędzie - Buk

t.2 Pałędzie - Buk

t.2 Pałędzie - Buk

t.2 Pałędzie - Buk

Razem	249
--------------	------------

Obiekt nr		Nr sekcji		Nr strony		KARTA MONTAŻOWA WIESZAKÓW																																
		L4 (2)		1/1																																		
0015-26						X	*61	60	62	62	62	62	62	62	62	70	70	58	58	70	70	70	59	*64							X							
0572-1						X	1																		1							X						
Rozpiętość przęsła [mb]						X	23	61	60	62	62	62	62	62	62	62	70	70	58	58	70	70	70	59	64	21							X					
Lp	WYPOSAŻENIE		LOKATA ILOŚĆ		2 4 8 10 12 14 16 18 20 22 24 26 28 30 32 34 2 4 8 10																																	
	330																				331																	
	NUMER				WYK	48 71 132 192 254 316 378 440 502 564 634 704 762 820 890 960 30 89 153 174																																
1		0570	2	217	X																											X						
2		0579	1	64	X																											X						
3		0572	1	2	X																											X						
					Typ sieci		26																Projektant:										Nr planu: LK3 Pałędzie - Buk					
					Długość sekcji [m]		1126																Współpraca: TA&TR															
					Ilość podwieszń [szt]		18																Uwagi:										Nr karty: L4 (2)					
					Tor numer		2																															
					Ilość sekcji w obiekcie																																	
Ilość roz.	3	Suma ilości		283	W	Nazwa obiektu:																																

t.2 Pałędzie - Buk

karta katalogowa 13-0015-26, wieszaki 0570-2, 0579-1, 0572-1

Rozp. [m]	Długość wieszaka																	Ilość	
	zaw."Y"		3	4	5	6	7	8	9	10	11	12	13	14	15	16	zaw."Y"		
	1	2															17		18
70	82	94	109	92	78	66	58	52	49	49	52	58	66	78	92	109	94	82	5
62	89	101	117	102	91	82	76	74	74	76	82	91	102	117	101	89			6
60	90	103	118	105	95	88	82	79	79	82	88	95	105	118	103	90			1
59	91	103	119	106	97	90	85	82	82	85	90	97	106	119	103	91			1
58	92	104	120	107	97	90	86	84	86	90	97	107	120	104	92				2

Rozp. [m]	Długość wieszaka																	Ilość	
	zaw."Y"		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		18
	1	2																	
*64	87	99	115	100	89	80	73	69	67	69	73	80	89	100	115	137	157		1
*61	90	102	117	103	94	85	79	76	76	79	85	94	103	117	139	158			1

Rozp. [m]	Ilość	Rozp. [m]	Ilość
49	10	109	10
52	10	115	2
58	10	117	14
66	10	118	2
67	1	119	2
69	2	120	4
73	2	137	1
74	12	139	1
76	14	157	1
78	10	158	1
79	4		
80	2		
82	16		
84	2		
85	4		
86	4		
88	2		
89	2		
90	6		
91	12		
92	10		
94	2		
95	2		
97	6		
100	2		
102	12		
103	2		
105	2		
106	2		
107	4		
Razem			217

[illegible]

Rozp. [m]	Ilość
21	1
23	1
Razem	2

Obiekt nr		Nr sekcji		Nr strony		KARTA MONTAŻOWA WIESZAKÓW																																				
		L24		1/1																																						
0015-26						X		*59	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	59	*64											X	
0572-1						X		1																	1											X						
Rozpiętość przęsła [mb]						X		26	59	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	59	64	21											X
Lp	WYPOSAŻENIE			LOKATA			4	6	10	12	14	16	18	20	22	24	26	28	30	32	2	4	8	10																		
			331																332																							
	NUMER	WYK	ILOŚĆ			89	115	174	244	314	384	454	524	594	664	734	804	874	944	14	73	137	158																			
1		0570	2	209		X																													X							
2		0579	1	56		X		14	14	14	14	14	14	14	14	14	14	14	14	14	12	15																	X			
3		0572	1	2		X		2	4	4	4	4	4	4	4	4	4	4	4	4	4	2																	X			
						X	1																											X								
						Typ sieci		26					Projektant:										Nr planu: LK3 Pałędzie - Buk																			
						Długość sekcji [m]		1069					Współpraca: TA&TR																													
						Ilość podwieszń [szt]		16	Uwagi:														Nr karty:																			
						Tor numer		2																																		
						Ilość sekcji w obiekcie			Nazwa obiektu:										L24																							
Ilość roz.	3	Suma ilości	267	W																																						

t.2 Pałędzie - Buk

t.2 Pałędzie - Buk

0015-26

Rozp. [m]	Długość wieszaka																	Ilość	
	zaw."Y"		3	4	5	6	7	8	9	10	11	12	13	14	15	16	zaw."Y"		
	1	2															17		18
70	82	94	109	92	78	66	58	52	49	49	52	58	66	78	92	109	94	82	12
59	91	103	119	106	97	90	85	82	82	85	90	97	106	119	103	91			1

***0015-26**

Rozp. [m]	Długość wieszaka																		Ilość
	zaw."Y"		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
	1	2																	
*64	87	99	115	100	89	80	73	69	67	69	73	80	89	100	115	137	157		1
*59	91	103	119	106	97	90	85	82	82	85	90	97	106	119	140	158			1

Wieszak 0570-2

Rozp. [m]	Ilość	Rozp. [m]	Ilość
49	24		
52	24		
58	24		
66	24		
67	1		
69	2		
73	2		
78	24		
80	2		
82	4		
85	4		
89	2		
90	4		
92	24		
97	4		
100	2		
106	4		
109	24		
115	2		
119	4		
137	1		
140	1		
157	1		
158	1		
Razem			209

Wieszak 0579-1

Rozp. [m]	Ilość
82	24
87	1
91	3
94	24
99	1
103	3
Razem	56

Wieszak 0572-1

Rozp. [m]	Ilość
21	1
26	1
Razem	2

Obiekt nr	Nr sekcji			Nr strony			KARTA MONTAŻOWA WIESZAKÓW																														
	L26			1/1																																	
0015-26							X	*59	70	70	70	70	70	70	70	70	70	70	52	*61															X		
0572-1							X	1																			1								X		
Rozpiętość przęsła [mb]							X	26	59	70	70	70	70	70	70	70	70	70	70	52	61	23															X
Lp	WYPOSAŻENIE			LOKATA																																	
	NUMER	WYK	ILOŚĆ		73	99	158	228	298	368	438	508	578	648	718	788	858	928	980	41	64																
1		0570	2	192	X																				X												
2		0579	1	52	X		14	14	14	14	14	14	14	14	14	14	14	10	14								X										
3		0572	1	2	X		2	4	4	4	4	4	4	4	4	4	4	4	2								X										
					X	1																			1								X				
						Typ sieci		26					Projektant:				Nr planu:																				
						Długość sekcji [m]		991					Współpraca: TA&TR																								
						Ilość podwieszń [szt]		15	Uwagi:				Nr karty:																								
						Tor numer		2																													
						Ilość sekcji w obiekcie																															
Ilość roz.	3	Suma ilości	246	W	Nazwa obiektu:																			L26													

t.2 Pałędzie - Buk

t.2 Pałędzie - Buk

0015-26

Rozp. [m]	Długość wieszaka																	Ilość	
	zaw."Y"		3	4	5	6	7	8	9	10	11	12	13	14	15	16	zaw."Y"		
	1	2															17		18
70	82	94	109	92	78	66	58	52	49	49	52	58	66	78	92	109	94	82	11
52	97	109	126	115	108	103	100	100	103	108	115	126	109	97					1

***0015-26**

Rozp. [m]	Długość wieszaka																	Ilość	
	zaw."Y"		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		18
	1	2																	
*61	90	102	117	103	94	85	79	76	76	79	85	94	103	117	139	158			1
*59	91	103	119	106	97	90	85	82	82	85	90	97	106	119	140	158			1

Wieszak 0570-2

Rozp. [m]	Ilość	Rozp. [m]	Ilość
49	22		
52	22		
58	22		
66	22		
76	2		
78	22		
79	2		
82	2		
85	4		
90	2		
92	22		
94	2		
97	2		
100	2		
103	4		
106	2		
108	2		
109	22		
115	2		
117	2		
119	2		
126	2		
139	1		
140	1		
158	2		
Razem			192

Wieszak 0579-1

Rozp. [m]	Ilość
82	22
90	1
91	1
94	22
97	2
102	1
103	1
109	2
Razem	52

Wieszak 0572-1

Rozp. [m]	Ilość
23	1
26	1
Razem	2

[illegible]

t.2 Pałędzie - Buk

Sieć skompensowana - kod "26" YwsC120-2C,

karta katalogowa 13-0015-26, wieszaki 0570-2, 0579-1, 0572-1

0015-26

Rozp. [m]	Długość wieszaka																	Ilość	
	zaw."Y"		3	4	5	6	7	8	9	10	11	12	13	14	15	16	zaw."Y"		
	1	2															17		18
68	84	96	111	95	83	73	64	58	56	56	58	64	73	83	95	111	96	84	1
66	85	98	113	97	84	74	67	63	61	63	67	74	84	97	113	98	85		1
65	86	98	114	98	87	77	70	66	64	66	70	77	87	98	114	98	86		10
61	90	102	117	103	94	85	79	76	76	79	85	94	103	117	102	90			2
54	95	107	124	112	104	98	95	95	98	104	112	124	107	95					2
50	99	111	127	117	110	106	105	106	110	117	127	111	99						1

***0015-26**

Rozp. [m]	Długość wieszaka																	Ilość	
	zaw."Y"		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		18
	1	2																	
*61	90	102	117	103	94	85	79	76	76	79	85	94	103	117	139	158			2

Wieszak 0570-2

Rozp. [m]	Ilość	Rozp. [m]	Ilość
56	2	117	10
58	2	124	4
61	1	127	2
63	2	139	2
64	12	158	2
66	20		
67	2		
70	20		
73	2		
74	2		
76	8		
77	20		
79	8		
83	2		
84	2		
85	8		
87	20		
94	8		
95	6		
97	2		
98	24		
103	8		
104	4		
105	1		
106	2		
110	2		
111	2		
112	4		
113	2		
114	20		
Razem			238

Wieszak 0579-1

[illegible]

Wieszak 0572-1

Rozp. [m]	Ilość
23	2
Razem	2