

TYP WIESZAKA	0570-8	0572-8	0579-3
SEKCJA			
L1	156	6	10
L2	194	6	
L3	208	6	
L4	209	6	22
L5	266	6	98
L6	268	6	98
L7	308	6	116
RAZEM:	1609	42	344

Obiekt nr		Nr sekcji		Nr strony		KARTA MONTAŻOWA WIESZAKÓW																																													
		L1		1/1																																															
0015-36						X				*54	40	38	35	32	35	33	34	32	33														X																		
0035-36						X			58																								X																		
PRZĘŚŁO-36						X		40												32													X																		
0572-8						X	1	2												2	1												X																		
Rozpiętość przęsła [mb]						X	44	40	58	54	40	38	35	32	35	33	34	32	33	32	31													X																	
Lp	WYPOSAŻENIE		LOKATA		ILOŚĆ	1	4	8A	11A	13	15	17	18A	19A	20A	22	24	26	30	34	36																														
	0																					1																													
	-5																					39	79	137	191	231	269	304	336	371	404	438	470	503	535	566															
1		0570	8	156		X		5	15	17	14	14	12	12	12	12	12	12	12	7														X																	
2		0579	3	10		X		2	5	3																							X																		
3		0572	8	6		X	1	2												2	1												X																		
							Typ sieci		36		YC150-2CS150				Projektant:												Nr planu: LK808 Września - Podstolice																								
							Długość sekcji [m]		572						Współpraca:																																				
							Ilość podwieszeń [szt]		14		Uwagi:																Nr karty: L1																								
							Tor numer		2																																										
							Ilość sekcji w obiekcie		7																																										
Ilość poz.	3	Suma ilości		172	W	Nazwa obiektu:																																													

Sieć skompensowana - kod "36" YC150-2CS150,
karta katalogowa 13-0015-36; 13-0035-36, wieszaki 0570-8, 0579-3, 0572-8

[illegible]

Rozp. [m]	Długość wieszaka																				Ilość				
	zaw. "Y"			4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	zaw. "Y"					
	1	2	3																	20				21	22
*54	68	78	99	109	99	90	85	81	79	77	77	79	81	85	90	99	109	125	137	155				1	

Rozp. [m]	Długość wieszaka																				Ilość		
	zaw. "Y"			4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20		zaw. "Y"	
	1	2	3																			21	22
58	60	71	91	100	88	77	69	62	57	54	54	54	56	61	67	75	85	97	83	73			1

[illegible]

L [cm]	Ilość	L [cm]	Ilość
54	3	137	5
56	1	138	2
57	1	139	6
61	1	140	2
62	1	141	6
67	1	142	4
69	1	143	8
75	1	144	6
77	3	145	7
79	2	146	4
81	2	147	2
85	3	149	4
88	1	150	2
90	2	151	8
97	1	155	5
99	2	157	6
100	3	158	8
105	2	166	10
109	2	167	8
110	2		
115	2		
120	2		
125	1		
127	2		
129	2		
130	1		
131	2		
132	2		
133	2		
135	2		
Razem			156

[illegible]

L [cm]	Ilość
120	6
Razem	6

Obiekt nr		Nr sekcji		Nr strony		KARTA MONTAŻOWA WIESZAKÓW																											
		L2		1/1																													
0015-36						X			34	32	32	33	34	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	X	
0035-36						X																										X	
PRZĘŚLÓ-36						X		32																32								X	
0572-8						X	1	2																2	1							X	
Rozpiętość przęsła [mb]						X	30	32	34	32	32	33	34	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	30				X
Lp	WYPOSAŻENIE		LOKATA		ILOŚĆ	26	28	32	36	38	40	42	44	46	48	50	52	54	56	58	60	62	4	8	10								
	0																																
	1																																
	470	500				532	566	598	630	663	697	729	761	793	825	857	889	921	953	985	17	49	79										
1		0570	8	194		X		7	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	7							X	
2		0572	8	6		X	1	2																	2	1						X	
							Typ sieci		36	YC150-2CS150		Projektant:														Nr planu: LK808 Września - Podstolice							
							Długość sekcji [m]		610			Współpraca:																					
							Ilość podwieszeń [szt]		18	Uwagi:																Nr karty: L2							
							Tor numer		2																								
							Ilość sekcji w obiekcie		7																								
Ilość poz.	2	Suma ilości		200	W	Nazwa obiektu:																											

Sieć skompensowana - kod "36" YC150-2CS150,

0015-36

[illegible]

Rozp. [m]	Długość wieszaka																Ilość
	zaw."Y"		3	4	5	6	7	8	9								
	1	2															
32	145	130	120	115	110	105	100	1szt.	1szt.								2

[illegible][illegible]

L [cm]	Ilość
120	6
Razem	6

Obiekt nr		Nr sekcji		Nr strony		KARTA MONTAŻOWA WIESZAKÓW																											
		L3		1/1																													
0015-36						X			33	32	32	32	31	32	32	32	32	32	32	32	32	32	36								X		
0035-36						X																									X		
PRZĘŚLÓ-36						X		32															34								X		
0572-8						X	1	2															2	1							X		
Rozpiętość przęsła [mb]						X	29	32	33	32	32	32	31	32	32	32	32	32	32	32	32	32	32	36	34	38						X	
Lp	WYPOSAŻENIE		LOKATA		ILOŚĆ	62	2	6	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	42	46	48							
	0	1																															
	985	14				46	79	111	143	175	206	238	270	302	334	366	398	430	462	494	526	562	596	634									
1		0570	8	208		X		7	12	12	12	12	12	12	12	12	12	12	12	12	12	12	14	7							X		
2		0572	8	6		X	1	2																2	1						X		
							Typ sieci		36	YC150-2CS150		Projektant:												Nr planu: LK808 Września - Podstolice									
							Długość sekcji [m]		651			Współpraca:																					
							Ilość podwieszeń [szt]		19	Uwagi:												Nr karty: L3											
							Tor numer		2																								
							Ilość sekcji w obiekcie		7																								
Ilość poz.	2	Suma ilości		214	W	Nazwa obiektu:																											

Sieć skompensowana - kod "36" YC150-2CS150,

karta katalogowa 13-0015-36; 13-0035-36, wieszaki 0570-8, 0579-3, 0572-8

[illegible]

Rozp. [m]	Długość wieszaka																Ilość
	zaw."Y"		3	4	5	6	7	8	9								
	1	2															
32-34	145	130	120	115	110	105	100	1szt.	1szt.								2

[illegible][illegible]

L [cm]	Ilość
120	6
Razem	6

Obiekt nr		Nr sekcji		Nr strony		KARTA MONTAŻOWA WIESZAKÓW																											
		L4		1/1																													
0015-36						X				48	*44	36	32	32	32	32	32	32	30	29	30	29	32	*38									X
0035-36						X				*58																52							X
PRZĘŚLÓ-36						X			40																		55						X
0572-8						X	1	2																		2	1						X
Rozpiętość przęsła [mb]						X	33	34	41	48	44	36	32	32	32	32	32	32	30	29	30	29	32	38	52	55	56						X
Lp	WYPOSAŻENIE		LOKATA ILOŚĆ			38	40	44	48	50	52	54	56	58	60	62	64	66	68	2	4	6	8	12	16	18							
	1																																
	526					559	593	634	682	726	762	794	826	858	890	922	952	981	11	40	72	110	162	217	273								
	1																																
1		0570	8	209		X			7	17	12	13	14	12	12	12	12	12	10	12	10	12	11	13	6								X
2		0579	3	22		X				3	6	3											3	5	2								X
3		0572	8	6		X	1	2																	2	1							X
							Typ sieci		36		YC150-2CS150		Projektant:												Nr planu: LK808 Września - Podstolice								
							Długość sekcji [m]		748		Współpraca:																						
							Ilość podwieszeń [szt]		19		Uwagi:												Nr karty: L4										
							Tor numer		2																								
							Ilość sekcji w obiekcie		7																								
Ilość poz.	3	Suma ilości		237	W	Nazwa obiektu:																											

Sieć skompensowana - kod "36" YC150-2CS150,
karta katalogowa 13-0015-36; 13-0035-36, wieszaki 0570-8, 0579-3, 0572-8

[illegible]

Rozp. [m]	Długość wieszaka																						Ilość	
	zaw. "Y"			4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	zaw. "Y"				
																				20	21	22		
*38	73	83	103	140	135	133	131	131	133	135	140	147	155	166										1
*44	78	89	109	121	114	109	106	105	105	106	109	114	121	149	157	166								1

Rozp. [m]	Długość wieszaka																				Ilość		
	zaw. "y"			4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20		zaw. "y"	
	1	2	3																			21	22
52	66	76	97	107	96	87	81	76	73	72	72	74	78	85	93	102	88	77					1

Rozp. [m]	Długość wieszaka																				Ilość			
	zaw. "y"			4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20			zaw. "y"	
	1	2	3																				21	22
*58	60	71	91	100	88	77	69	62	57	54	54	54	56	61	67	75	85	97	130	145			1	

[illegible]

L [cm]	Ilość	L [cm]	Ilość
54	3	109	2
56	1	110	1
57	1	114	2
61	1	115	1
62	1	116	2
67	1	120	1
69	1	121	2
72	2	130	2
73	1	131	2
74	1	133	2
75	3	135	4
76	1	137	2
77	1	139	2
78	1	140	2
80	1	143	14
81	1	144	12
85	3	145	2
87	1	146	16
88	1	147	5
90	1	148	5
93	1	149	2
95	2	150	8
96	3	151	12
97	1	154	8
99	2	155	1
100	3	156	1
102	3	157	2
105	3	158	12
106	2	159	8
107	1	166	4
108	2	167	20
Razem			209

[illegible]

L [cm]	liczba
120	6
Razem	6

Obiekt nr		Nr sekcji		Nr strony		KARTA MONTAŻOWA WIESZAKÓW																													
		L5		1/1																															
0015-36						X				63	62	62	62	62	62	62	61	62	62	62	62	62	62	62								X			
0035-36						X			59																59							X			
PRZĘŚLÓ-36						X		55																	62							X			
0572-8						X	1	2																	2	1						X			
Rozpiętość przęsła [mb]						X	49	55	59	63	62	62	62	62	62	62	61	62	62	62	62	62	62	62	59	62	57						X		
Lp	WYPOSAŻENIE		LOKATA		ILOŚĆ	8	10	14	18	20	22	24	26	28	30	32	34	36	38	40	2	4	6	10	14	16									
						2															3														
						110	159	214	273	336	398	460	522	584	646	707	769	831	893	955	17	79	141	200	262	319									
1		0570	8	266		X		6	15	16	16	16	16	16	16	16	16	16	16	16	16	16	16	15	6								X		
2		0579	3	98		X		2	5	6	6	6	6	6	6	6	6	6	6	6	6	6	6	5	2								X		
3		0572	8	6		X	1	2																	2	1							X		
							Typ sieci		36	YC150-2CS150		Projektant:														Nr planu: LK808 Września - Podstolice									
							Długość sekcji [m]		1209			Współpraca:																							
							Ilość podwieszeń [szt]		19	Uwagi:														Nr karty: L5											
							Tor numer		2																										
							Ilość sekcji w obiekcie		7																										
Ilość poz.	3	Suma ilości		370	W	Nazwa obiektu:																													

Długości wieszaków dla sekcji L5

Sieć skompensowana - kod "36" YC150-2CS150,

karta katalogowa 13-0015-36; 13-0035-36, wieszaki 0570-8, 0579-3, 0572-8

0015-36

Rozp. [m]	Długość wieszaka																					Ilość	
	zaw. "Y"			4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	zaw. "Y"			
	1	2	3																	20	21		22
63	58	69	89	98	85	74	65	58	53	49	48	48	49	53	58	65	74	85	98	89	69	58	1
62	59	70	90	99	86	76	67	60	55	53	52	52	53	55	60	67	76	86	99	90	70	59	12
61	61	71	91	100	88	78	69	63	59	56	55	55	56	59	63	69	78	88	100	91	71	61	1

0035-36

Rozp. [m]	Długość wieszaka																				Ilość		
	zaw. "Y"			4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20		zaw. "Y"	
	1	2	3																			21	22
59	59	70	90	99	86	75	68	60	55	51	50	51	54	58	65	73	84	96	82	72			2

przešlo sieci typu "36"

Rozp. [m]	Długość wieszaka																	Ilość
	zaw."Y"		3	4	5	6	7	8	9	10								
	1	2																
55-62	73	86	97	88	81	77	73	70	1szt.	1szt.								2

Wieszak 0570-8

L [cm]	Ilość	L [cm]	Ilość
48	2	97	2
49	2	98	2
50	2	99	26
51	4	100	2
52	24		
53	26		
54	2		
55	28		
56	2		
58	4		
59	2		
60	26		
63	2		
65	4		
67	24		
68	2		
69	2		
70	2		
73	4		
74	2		
75	2		
76	24		
77	2		
78	2		
81	2		
84	2		
85	2		
86	26		
88	4		
96	2		
Razem			266

Wieszak 0579-3

[illegible]

Wieszak 0572-8

L [cm]	Ilość
120	6
Razem	6

[illegible]

Długości wieszaków dla sekcji L6

Sieć skompensowana - kod "36" YC150-2CS150,

karta katalogowa 13-0015-36; 13-0035-36, wieszaki 0570-8, 0579-3, 0572-8

0015-36

Rozp. [m]	Długość wieszaka																					Ilość	
	zaw. "Y"			4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	zaw. "Y"			
	1	2	3																	20	21		22
63	58	69	89	98	85	74	65	58	53	49	48	48	49	53	58	65	74	85	98	89	69	58	1
62	59	70	90	99	86	76	67	60	55	53	52	52	53	55	60	67	76	86	99	90	70	59	13

0035-36

Rozp. [m]	Długość wieszaka																				Ilość		
	zaw. "Y"			4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20		zaw. "Y"	
	1	2	3																			21	22
60	58	69	89	98	85	74	64	58	53	50	48	47	47	49	52	56	63	72	83	95	82	71	1
59	59	70	90	99	86	75	68	60	55	51	50	51	54	58	65	73	84	96	82	72			1

przeszło sieci typu "36"

Rozp. [m]	Długość wieszaka																	Ilość
	zaw."Y"		3	4	5	6	7	8	9	10								
	1	2																
55-62	73	86	97	88	81	77	73	70	1szt.	1szt.								2

Wieszak 0570-8

L [cm]	Ilość	L [cm]	Ilość
47	2	95	1
48	3	96	1
49	3	97	2
50	2	98	3
51	2	99	27
52	27		
53	29		
54	1		
55	27		
56	1		
58	4		
60	27		
63	1		
64	1		
65	3		
67	26		
68	1		
70	2		
72	1		
73	3		
74	3		
75	1		
76	26		
77	2		
81	2		
83	1		
84	1		
85	3		
86	27		
88	2		
Razem			268

Wieszak 0579-3

[illegible]

Wieszak 0572-8

L [cm]	Ilość
120	6
Razem	6

Obiekt nr		Nr sekcji		Nr strony		KARTA MONTAŻOWA WIESZAKÓW																												
		L7		1/1																														
0015-36						X				62	62	62	62	62	62	62	62	62	60	62	60	60	62	63	56	51							X	
0035-36						X			59																		59							X
PRZĘŚLÓ-36						X		62																			50							X
0572-8						X	1	2																			2	1						X
Rozpiętość przęsła [mb]						X	56	62	59	62	62	62	62	62	62	62	62	60	62	60	60	62	63	56	51	59	50	26						X
Lp	WYPOSAŻENIE		LOKATA		ILOŚĆ	8	10	14	18	20	22	24	26	28	30	32	34	36	38	2	4	5	9	12	13	14A	15A	17A	18A					
	4																		5															
	188	244				306	365	427	489	551	613	675	737	799	861	923	983	45	105	165	227	290	346	397	456	506	532							
1		0570	8	308		X		6	15	16	16	16	16	16	16	16	16	16	16	16	16	16	16	14	12	15	6							X
2		0579	3	116		X		2	5	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	5	2							X
3		0572	8	6		X	1	2																			2	1						X
						X																												X
						Typ sieci		36		YC150-2CS150		Projektant:														Nr planu: LK808 Września - Podstolice								
						Długość sekcji [m]		1344				Współpraca:																						
						Ilość podwieszń [szt]		22		Uwagi:														Nr karty: L7										
						Tor numer		2																										
						Ilość sekcji w obiekcie		7																										
Ilość poz.	3	Suma ilości		430	W	Nazwa obiektu:																												

Sieć skompensowana - kod "36" YC150-2CS150,
karta katalogowa 13-0015-36; 13-0035-36, wieszaki 0570-8, 0579-3, 0572-8

Rozp. [m]	Długość wieszaka																					Ilość	
	zaw. "Y"			4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	zaw. "Y"			
	1	2	3																	20	21		22
63	58	69	89	98	85	74	65	58	53	49	48	48	49	53	58	65	74	85	98	89	69	58	1
62	59	70	90	99	86	76	67	60	55	53	52	52	53	55	60	67	76	86	99	90	70	59	13

Rozp. [m]	Długość wieszaka																				Ilość			
	zaw. "Y"			4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20			zaw. "Y"	
	1	2	3																				21	22
60	58	69	89	98	85	74	64	58	53	50	48	47	47	49	52	56	63	72	83	95	82	71	1	
59	59	70	90	99	86	75	68	60	55	51	50	51	54	58	65	73	84	96	82	72			1	

Rozp. [m]	Długość wieszaka																	Ilość
	zaw."Y"		3	4	5	6	7	8	9	10								
	1	2																
55-62	73	86	97	88	81	77	73	70	1szt.	1szt.								1
50-55	75	90	100	90	85	80	75	75	1szt.	1szt.								1

L [cm]	Ilość	L [cm]	Ilość
48	2	89	6
49	2	90	1
50	2	91	2
51	4	96	6
52	22	97	1
53	24	98	2
54	2	99	24
55	24	100	1
58	10	101	6
60	30	103	2
62	6	106	2
65	4	112	2
66	6		
67	22		
68	2		
70	1		
71	8		
73	5		
74	2		
75	6		
76	22		
77	1		
79	6		
80	3		
81	1		
84	2		
85	3		
86	24		
87	4		
88	3		
Razem			308

[illegible]

L [cm]	Ilość
120	6
Razem	6